

COPPER

TBOTP Ø 25 x 102 mm, AH 3/8" x 24 thread
 TBOTP Ø 25 x 50 mm, AH 3/8" x 24 thread
 TBOTP Ø 19 x 102 mm, AH 3/8" x 24 thread
 TBOTP Ø 19 x 50 mm, AH 3/8" x 24 thread
 TBOTP Ø 19 x 38 mm, AH 3/8" x 24 thread
 TBOTRN Ø 19 x 38 mm, AH 3/8" x 24 thread
 PCC Ø 50 x 50 mm, Shaft 8 mm
 PCC Ø 30 x 38 mm, Shaft 6 mm
 PRB Ø 20 x 55 mm, Shaft 6 mm
 RS Ø 60 x 3.5 mm, AH 3/8" x 24 thread bevelled
 RS Ø 50 x 3 mm, Shaft 6 mm
 RS Ø 32 x 4 mm, Shaft 6 mm
 RS Ø 30 x 6 mm, Shaft 6 mm
 RS Ø 30 x 4 mm, Shaft 6 mm
 RS Ø 15 x 3 mm, Shaft 6 mm
 RB Ø 26 mm, 3/8" x 24 thread
 RB Ø 20 mm, 3/8" x 24 thread

Ø 1" x 4"
 Ø 1" x 2"
 Ø 3/4" x 4"
 Ø 3/4" x 2"
 Ø 3/4" x 1 1/2"
 Ø 3/4" x 1 1/2"
 Ø 2" x 2"
 Ø 1 1/8" x 1 1/2"
 Ø 3/4" x 2 1/8"
 Ø 2 3/8" x 1/8"
 Ø 2" x 1/8"
 Ø 1 1/4" x 5/32"
 Ø 1 1/8" x 1/4"
 Ø 1 1/8" x 1/8"
 Ø 5/8" x 1/8"
 Ø 1"
 Ø 13/16"

Art. No: 132075-xx
 Art. No: 132073-xx
 Art. No: 132072-xx
 Art. No: 132071-xx*
 Art. No: 132070-xx
 Art. No: 132080-xx
 Art. No: 132095-xx
 Art. No: 132096-xx
 Art. No: 132100-xx
 Art. No: 132193-xx
 Art. No: 132192-xx
 Art. No: 132189-xx*
 Art. No: 132190-xx
 Art. No: 132191-xx
 Art. No: 132194-xx*
 Art. No: 132103-xx
 Art. No: 132102-xx



TBOTP Ø 25 x 102 mm, Ø 1" x 4"
 TBOTP Ø 19 x 102 mm, Ø 3/4" x 4"
 TBOTP Ø 25 x 50 mm, Ø 1" x 2"
 TBOTP Ø 19 x 50 mm, Ø 3/4" x 2"
 TBOTRN Ø 19 x 38 mm, Ø 3/4" x 2"
 TBOTP Ø 19 x 38 mm, Ø 3/4" x 1 1/2"

* to be discontinued

STEEL SHOT GRIT

TBOTP 25 x 102 mm, AH 3/8" x 24 thread
 TBOTP 25 x 102 mm, AH 3/8" x 24 thread
 TBOTP 25 x 50 mm, AH 3/8" x 24 thread
 TBOTP 25 x 50 mm, AH 3/8" x 24 thread
 PRB 20 x 55 mm, 6 mm Shaft
 PRB 20 x 55 mm, 6 mm Shaft

Ø 1" x 4"
 Ø 1" x 4"
 Ø 1" x 2"
 Ø 1" x 2"
 Ø 13/16" x 2"
 Ø 13/16" x 2"

Grit 230
 Grit 390
 Grit 230
 Grit 390
 Grit 230
 Grit 390

Art. No: 932075-230
 Art. No: 932075-390
 Art. No: 932073-230
 Art. No: 932073-390
 Art. No: 932004-230
 Art. No: 932004-390




Steel Shot Grit Mini Repair Kit

PRB 10 mm, Shaft 3 mm,
 TBOTP 3 x 25 mm, Shaft 3 mm
 TBOTP 6 x 15 mm, Shaft 3 mm
 RS 15 x 3 mm, Shaft 3 mm

Ø 3/8"
 Ø 1/8" x 1"
 Ø 1/4" x 5/8"
 Ø 5/8" x 1/8"

Grit 170
 Grit 170
 Grit 170
 Grit 170

Art. No: 932150-170
 Art. No: 932151-170
 Art. No: 932152-170
 Art. No: 932153-170



Steel Shot Grit Adaptors
 Hub flange kit, AH & keyway upon customers request / machine shaft available.

COPPER

Pencil Rasps

PR Ø 6 mm, 102 mm, Shaft 6 mm

PR Ø 6 mm, 102 mm Pointed, Shaft 6 mm

PR Ø 6 mm, 102 mm Rounded, Shaft 6 mm

PR Ø 6 mm, 65 mm, Shaft 6 mm

PR Ø 6/4 x 65 mm, pointed, Shaft 6 mm

PR Ø 6 x 65 mm, 40 mm pointed, Shaft 6 mm

PR Ø 8 mm, 170 mm, Shaft 8 mm

Ø 1/4" x 4"

Ø 1/4" x 4"

Ø 1/4" x 4"

Ø 1/4" x 2 9/16"

Ø 1/4" / 5/32" x 2 9/16"

Ø 1/4" x 2 9/16"

Ø 5/16" x 6 11/16"

Art. No: 132086-xx

Art. No: 132086-xxP

Art. No: 132086-xxR*

Art. No: 132085-xx

Art. No: 132083-xx

Art. No: 132084-xx*

Art. No: 132087-xx



Example of application

* to be discontinued / * dejará de fabricarse



PR Ø 6 x 65 mm,
40 mm pointed, Shaft 6 mm
Ø 1/4" x 2 9/16"



PR Ø 6/4 x 65 mm,
pointed, Shaft 6 mm
Ø 1/4" / 5/32" x 2 9/16"



PR Ø 6 mm, 102 mm pointed,
Shaft 6 mm Ø 1/4" x 4"



PR Ø 6 mm, 102 mm rounded, Shaft 6 mm, Ø 1/4" x 4"



PR Ø 6 mm, 102 mm, Shaft 6 mm, Ø 1/4" x 4"



PR Ø 8 mm, 170 mm, Shaft 8 mm, Ø 5/16" x 6 11/16"

Please note: Tool dimensions are based on basemembers without grit!

Carbide Cutters

These Carbide Cutters are very popular for precise damage repair on radial and cross ply tires. They are particularly effective for cleaning of puncture/nail damage. The special cutting profile is adopted to steel cord preparation for long service life.

Type Standard

Ø 3 x 50 mm pointed, Cutting length 25 mm, 1/8" x 2", Cutting length 1"

Ø 6 x 90 mm pointed, Cutting length 50 mm, 1/4" x 3 5/8" Cutting length 2"

Ø 8 x 100 mm pointed, Cutting length 50 mm, 5/16" x 4" Cutting length 2"

Ø 10 x 110 mm pointed, Cutting length 50 mm, 3/8" x 4 3/8" Cutting length 2"

Ø 12 x 110 mm pointed, Cutting length 50 mm, 1/2" x 4 3/8" cutting length 2"

Ø 20 x 58 mm ball, Cutting length 20 mm, 3/4" x 2" cutting length 3/4"

Art. No: 690101

Art. No: 690102

Art. No: 690103

Art. No: 690104

Art. No: 690105

Art. No: 690106

Type ECO - Cylindrical

Ø 3 x 50 mm pointed, Cutting length 25mm, 1/8" x 2", Cutting Length 1"

Ø 3 x 50 mm pointed, 1/8" x 2", pointed

Ø 6 x 66 mm pointed, 1/4" x 2 1/2", pointed

Ø 6 x 93 mm pointed, 1/4" x 3 5/8", pointed

Ø 8 x 90 mm pointed, 5/16" x 3 5/8", pointed

Ø 6 x 80 mm, 1/4" x 3 5/32"

Ø 6.35 x 64 mm Flat tip fine (1/4"), 1/4" x 2 1/2"

Ø 6.35 x 64 mm Flat tip coarse (1/4"), 1/4" x 2 1/2"

Ø 8 x 100 mm, 5/16" x 4"

Ø 10 x 100 mm, 3/8" x 4"

Ø 10 x 110 mm pointed, 3/8" x 4 3/8", pointed

Ø 11 x 100 mm, Shaft 10mm, 7/16" x 4"

Ø 12 x 100 mm, Shaft 10mm, 1/2" x 4"

Art. No: 690200

Art. No: 690207

Art. No: 690201

Art. No: 690202

Art. No: 690203

Art. No: 690208

Art. No: 690215

Art. No: 690216

Art. No: 690209

Art. No: 690210

Art. No: 690204

Art. No: 690205

Art. No: 690206

Type USA - Triangular

Ø 6 x 93 mm, 1/4" x 3 5/8"

Ø 8 x 90 mm (8 mm), 5/16" x 3 5/8"

Ø 10 x 100 mm, 3/8" x 4"

Art. No: 690211

Art. No: 690212

Art. No: 690213



Type Standard

Type ECO

Type USA



COPPER

SW Ø 245 x 6 mm, AH 70F7 Keyway 20 mm
 SW Ø 245 x 6 mm, AH 150F7 Keyway 10 mm
 SW Ø 225 x 6 mm, AH 150F7 Keyway 10 mm 9" x 1/4"
 SW Ø 200 x 6 mm, AH 125F7 Keyway 10 mm 8" x 1/4"
 SW Ø 180 x 6 mm, AH 125F7 Keyway 10 mm 7 1/4" x 1/4"
 SW Ø 150 x 6 mm, AH 60F7 Keyway 10 mm 6" x 1/4"
 SW Ø 120 x 6 mm, AH 22F7, Keyway 6 mm 4 3/4" x 1/4"
 SW Ø 110 x 6 mm, AH 22F7 or 19F7 Keyway 6 mm 4 3/8" x 1/4"
 SW Ø 57 x 2 mm, AH 3/8" 2 9/32" x 1/16"
 SW Spacer, OD 166 x 25 mm, AH 150E8 Keyway 10 mm
 SW Spacer, OD 166 x 18 mm, AH 150E8 Keyway 10 mm
 SW Spacer, OD 138 x 19 mm, AH 125E8 Keyway 10 mm
 SW Spacer, OD 90 x 21 mm, AH 70E8 Keyway 20 mm
 SW Spacer, OD 70 x 12 mm, AH 60E8 Keyway 10 mm
 SW Spacer, OD 32 mm, AH 22E8 or 19F7 Keyway 6 mm

Art. No: 132139-xx
 Art. No: 132141-xx
 Art. No: 132125-xx
 Art. No: 132124-xx
 Art. No: 132126-xx
 Art. No: 132122-xx
 Art. No: 132128-xx
 Art. No: 132123-xx
 Art. No: 132120-xx*
 Art. No: 132142
 Art. No: 132135
 Art. No: 132138
 Art. No: 132140
 Art. No: 132136
 Art. No: 132137



* to be discontinued / * dejará de fabricarse



SW Ø 225 x 6 mm,
 AH 150F7
 Keyway 10 mm

SW Ø 200 x 6 mm,
 AH 125F7
 Keyway 10 mm

SW Ø 150 x 6 mm,
 AH 60F7
 Keyway 10 mm

SW Ø 100 x 6 mm,
 AH 22F7 or 19F7
 Keyway 6 mm

SW Ø 57 x 2 mm
 AH 3/8"

SW Ø 180 used
 together with
 19 mm spacer

